


# STOFFA





STOFFA / NAVY p.24



STOFFA / DENIM p.18



STOFFA / FLAXSEED p.12



# STOFFA



STOFFA / COTTON p.4

colors

STOFFA / **COTTON**



STOFFA / **FLAXSEED**



STOFFA / **DENIM**



STOFFA / **NAVY**



# STOFFA


---

The patterns of the weave,  
the warmth created by the variations  
between light and shadow,  
appearances that beg to be touched;  
the STOFFA collection by Milestone was  
inspired by a love of fashion,  
design and fabric.

Available in four designer colors,  
STOFFA lends a unique touch of character and  
look of texture to any design project.

Multiple décor options,  
inspired by Scandinavian design,  
provide for the endless possibilities in design.

---











STOFFA / COTTON













24"x24" DECO 1.0 . 12"x24" / **COTTON**










24"x24" DECO 1.0 . 12"x24" / **COTTON**













STOFFA / **FLAXSEED**



# 14 | STOFFA



24"x24" DECO 1.0 . 12"x24" DECO 2.0 . DECO 3.0 . 24"x24" / **FLAXSEED**









24"x24" DECO 1.0 . 12"x24" DECO 2.0 . DECO 3.0 . 24"x24" / **FLAXSEED**













STOFFA / **DENIM**



























STOFFA / **NAVY**





















24"x24" DECO 1.0 / 12"x24", 24"x24" DECO 2.0, DECO 3.0, 12"x24", 24"x24" / **COTTON**  
12"x24" / **NAVY**









24"x24" DECO 1.0 / 12"x24", 24"x24" DECO 2.0 , DECO 3.0 , 12"x24", 24"x24" / **COTTON**  
12"x24" / **NAVY**







# DECO . SIZES & SHADE VARIATION

decors:

34

24"x24"  
DECO 1.0  
Rectified



1100616  
Cotton

24"x24"  
DECO 2.0  
Rectified



1100617  
Cotton

24"x24"  
DECO 3.0  
Rectified



1100618  
Cotton

12"x24"  
DECO 2.0  
Rectified



1100640  
Cotton

12"x24"  
DECO 3.0  
Rectified



1100641  
Cotton



1100619  
Flaxseed



1100620  
Flaxseed




1100621  
Flaxseed



1100642  
Flaxseed



1100643  
Flaxseed



1100625  
Denim



1100626  
Denim




1100627  
Denim



1100646  
Denim



1100647  
Denim



1100622  
Navy



1100623  
Navy



1100624  
Navy



1100644  
Navy



1100645  
Navy




## sizes:

24"x48"  
Rectified



1100577 Cotton  
1100578 Flaxseed  
1100580 Denim  
1100579 Navy

24"x24"  
Rectified



1100589 Cotton  
1100590 Flaxseed  
1100592 Denim  
1100591 Navy


12"x24"  
Rectified



1100636 Cotton  
1100637 Flaxseed  
1100639 Denim  
1100638 Navy

## mosaics & trim pieces:

2"x2"  
Mosaic (36 DOT)



1100656 Cotton  
1100657 Flaxseed  
1100659 Denim  
1100658 Navy

3"x24" Bullnose




1100652 Cotton  
1100653 Flaxseed  
1100655 Denim  
1100654 Navy

6"x12" Cove Base  
\*special order only



1100648 Cotton  
1100649 Flaxseed  
1100651 Denim  
1100650 Navy

35



V1

### UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



V2

### SLIGHT VARIATION


Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

### MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4

### SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.












24"x24" DECO 1.0 . 12"x24" / **COTTON**



# technical specifications

		REFERENCE VALUE	DECLARED VALUE	TEST METHOD
	SURFACE ABRASION		IV	ASTM C1027
	WATER ABSORPTION	≤0.5%	MEETS REQUIREMENT	ASTM C373
	CHEMICAL RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM 650
	DYNAMIC COEFFICIENT OF FRICTION	≥0.66 WET	MEETS REQUIREMENT	ANSI A137.1
	STAIN RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM C1378
	BREAKING STRENGTH	AS REPORTED	≥400	ASTM C648
	RESISTANCE TO FREEZE	AS REPORTED	RESISTANT	ASTM C1026



**RESISTANT FOR THE HOUSE** The product is water-resistant: it stops liquids, body oils, acidic and staining substances from penetrating the tiles. It resists scratches, scuffs and gauges better than any other floor covering. It does not absorb fumes, odors or smoke. It doesn't discolor or fade when exposed to sunlight, or other natural elements. It is completely fire proof. It resists burns and doesn't feed a fire. Its high resistance to abrasive dirt and grime makes it suitable even for heavy-traffic areas of the house such as hallways, entrances, foyers and walkways.

**FROST RESISTANT** Exceeding the ADA standard requirements, the Milestone product can also be used for outside applications. It stands up to abrupt temperature changes and freezing-thaw cycles. When properly installed according to ANSI A137.1. It's strong enough to be used in exterior applications even in frigid climates. Proper consideration must be given to the anti-slip requirements of the area to be tiled.

**ANTI-SLIP** The testing conducted on our finished product will guarantee that all of our tiles will have an anti-slip surface so they may be used with total confidence in kitchen and bath applications. The Milestone product is perfect for both home and commercial interiors, such as restaurants, offices, retail stores, etc. Its anti-slip properties provide a safe walking surface in both wet and dry conditions, according to the Americans with Disabilities Act.

**HYGIENE/SANITATION & EASY CLEANING** The Milestone product doesn't absorb odors or bacteria of any kind. It's easy to clean with a damp sponge, mop, or cloth. For a more intense cleaning, simply use a mild solution of water and a common household detergent. Regular cleaning will stop the growth of germs and bacteria in damp areas such as the bathroom.

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

## packaging

SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x24" RECTIFIED MATTE	30x60	10 mm	6	12 SF	59	48	576 SF	2,822
24"x24" RECTIFIED MATTE	60x60	10 mm	3	12 SF	53	36	432 SF	1,901
24"x48" RECTIFIED MATTE	60x120	10 mm	3	24 SF	115	21	504 SF	2,419
DECO								
24x24 Deco 1.0	60x60	10 mm	3	12 SF	53	36	432 SF	1,901
24x24 Deco 2.0	60x60	10 mm	3	12 SF	53	36	432 SF	1,901
24x24 Deco 3.0	60x60	10 mm	3	12 SF	53	36	432 SF	1,901
12x24 Deco 2.0	30x60	10 mm	6	12 SF	59	48	576 SF	2,822
12x24 Deco 3.0	30x60	10 mm	6	12 SF	59	48	576 SF	2,822
MOSAICS AND COORDINATING TRIMS								
2"x2" MOSAIC (12"x12"- 36 DOT)	30x30	10 mm	10	10 PCS	35	45	450 PCS	1,575
3"x24" BULLNOSE	7.5x60	10 mm	12	6 PCS	25.2	48	576 PCS	1,210
6"x12" COVE BASE MATTE	15x30	7mm	10	5 PCS	15	64	640 PCS	1,120

\* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.

PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").



Routine care instructions:

1. Wash with water to remove superficial dirt.
2. Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
3. Let the solution sit 5-7 minutes.
4. Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.
5. Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

CLEANING & MAINTENANCE



Contributes  
to LEED credits



CERTIFICATIONS & ACCREDITATIONS



## PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Milestone spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Milestone products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

## A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Milestone offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

## TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Milestone commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.

## WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

### Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

## SUGGESTED INSTALLATIONS

PEI Class

**IV**

**Moderate to heavy foot traffic**

Recommended for all residential applications as well as medium commercial and light institutional applications.



**40% RECYCLED CONTENT**  
(FLAXSEED AND NAVY)











300 International Blvd. Clarksville, TN 37040 | [www.milestonetiles.com](http://www.milestonetiles.com) | 1-877-356-7461

